




BELLOWS SEALED VALVES SERIES

DIN STANDARD BELLOW SEALED
GATE VALVE



DIN STANDARD BELLOW SEALED GATE VALVE

Product Advantage

- The key parts of the metal bellows, the lower end and the valve stem assembly are automatically welded, and the upper end and the connecting plate are automatically welded, it form a metal barrier between the fluid medium and the atmosphere to ensure zero leakage of the valve stem.
- Double sealing design with bellows and packing, with dual safety, makes the sealing at the valve stem safer and more reliable.


- Grease nipple. It can directly lubricate the stem, nut and sleeve.
- Ergonomic hand wheel. It provides longer service life and easier operation.

Specifications

- Design standard: EN12516
- Face to face dimension: EN558
- Flange ends: EN1092-1
- Test & inspection: EN12266

Application

Thermal oil, Steam, Hot and cold water, Fatty acids, Ammonia, Natural gas, etc.



Data Dimension Table

DN	PN16			PN25			PN40		
	L	W	H≈	L	W	H≈	L	W	H≈
50	250	Φ220	500	250	Φ220	500	250	Φ220	500
65	265	Φ240	560	265	Φ240	560	280	Φ240	560
80	280	Φ280	620	280	Φ280	620	310	Φ280	620
100	300	Φ300	800	300	Φ300	800	350	Φ300	800
125	325	Φ320	900	325	Φ320	900	400	Φ320	900
150	350	Φ350	1105	350	Φ350	1105	450	Φ350	1105
200	400	Φ400	1385	400	Φ400	1385	550	Φ400	1385
250	450	Φ450	1600	450	Φ450	1600	650	Φ450	1600
300	500	Φ500	1950	500	Φ500	1950	750	Φ500	1950
350	550	Φ550	2250	550	Φ550	2250	850	Φ550	2250
400	600	Φ600	2550	600	Φ600	2550	950	Φ600	2550
450	650	Φ650	2760	650	Φ650	2760	1050	Φ650	2760
500	700	Φ700	3150	700	Φ700	3150	1150	Φ700	3150
600	800	Φ750	3900	800	Φ750	3900	1350	Φ750	3900



VMV Newton Systems®

ZHEJIANG NEWTON FLUID CONTROL CO.,LTD.

Headquarters (Wenzhou)

Zhiyi road, Lingxia industrial zone, Wuniu, Wenzhou,
Zhejiang, China.

Tel: 86-577-67978269

Fax: 86-577-67376711

E-mail: vmv@vmv-valve.com

Shanghai R&D Center

Jiading District, Shanghai
Building 12A, No. 1818 Chengbei Road
Tel: 86-18057752663

E-mail: vmv8@vmv-valve.com

CE   TS EAC CCS

www.vmvvalve.com



Scan More Wonderful