




BELLOWS SEALED VALVES SERIES

DIN STANDARD BELLOWS SEALED
GLOBE VALVE(SUPER)



DIN STANDARD BELLOWS SEALED GLOBE VALVE(SUPER)

Product Advantage

- Double stem. It's combined with upper-stem and lower-stem, with wear-resisting material and anti-corrosion material, meeting the requirement of wear and corrosion resistance.
- Bellows protected space design. Bellows are protected in a sealed space, not directly affected by the medium, pressure, temperature, achieving corrosion resistance and long life.


- Back sealed design, with travel limit and bellows anti-vibration device in the open position, ensuring that the valve can work under harsh conditions.

Specifications

- Design standard: EN12516
- Face to face dimension: EN558
- Flange ends: EN1092-1
- Test & inspection: EN12266

Application

Dry chlorine or liquid chlorine, Petroleum, Chemical Industry, Pharmacy, Fertilizer, Power Industry Etc.



Data Dimension Table

DN	PN16			PN25			PN40		
	L	W	H≈	L	W	H≈	L	W	H≈
15	130	Φ140	250	130	Φ140	250	130	Φ140	250
20	150	Φ140	250	150	Φ140	250	150	Φ140	250
25	160	Φ160	259	160	Φ160	259	160	Φ160	259
32	180	Φ160	259	180	Φ160	259	180	Φ160	259
40	200	Φ180	385	200	Φ180	385	200	Φ180	385
50	230	Φ200	389	230	Φ200	389	230	Φ200	389
65	290	Φ220	404	290	Φ220	404	290	Φ220	404
80	310	Φ250	476	310	Φ250	476	310	Φ250	476
100	350	Φ300	495	350	Φ300	495	350	Φ300	495
125	400	Φ350	667	400	Φ350	667	400	Φ350	667
150	480	Φ350	680	480	Φ350	680	480	Φ350	680
200	600	Φ450	829	600	Φ450	829	600	Φ450	829
250	730	Φ550	964	730	Φ550	964	730	Φ550	964
300	850	Φ600	1039	850	Φ600	1039	850	Φ600	1039
350	980	Φ700	1340	980	Φ700	1340	980	Φ700	1340
400	1100	Φ700	1500	1100	Φ700	1500	1100	Φ700	1500



VMV Newton Systems®

ZHEJIANG NEWTON FLUID CONTROL CO.,LTD.

Headquarters (Wenzhou)

Zhiyi road, Lingxia industrial zone, Wuniu, Wenzhou,
Zhejiang, China.

Tel: 86-577-67978269

Fax: 86-577-67376711

E-mail: vmv@vmv-valve.com

Shanghai R&D Center

Jiading District, Shanghai
Building 12A, No. 1818 Chengbei Road
Tel: 86-18057752663

E-mail: vmv8@vmv-valve.com

CE  ISO  EAC CCS

www.vmvvalve.com



Scan More Wonderful