




BELLOWS SEALED VALVES SERIES

FORGED STEEL BELLOWS SEALED
GLOBE VALVE



FORGED STEEL BELLOWS SEALED GLOBE VALVE

Product Advantage

- Bellows seal element. The key part metal bellows is the connection part between bonnet and stem by automatic roll welding. The metal bellows can keep the stem part zero leakage.
- Benefited from the cone and streamline shape design, the disc has reliable sealing performance and longer service life.


- Double seal design (bellows + packing). Bellows and packing can prevent from leakage and provide excellent sealing performance.
- Grease nipple. It can directly lubricate the stem, nut and sleeve.
- Ergonomic hand wheel. It provides longer service life and easier operation.

Specifications

- Design standard: JB/T7746, API602
- Face to face dimension: EN558, ASME B16.10
- Flange ends: EN1092-1, ASME B16.5
- BW ends: ASME B16.25
- SW ends: ASME B16.11
- Test & inspection: EN12266, API598

Application

Thermal oil, Steam, Hot and cold water, Fatty acids, Ammonia, Natural gas, etc.



Data Dimension Table

DN	RF PN16-PN40 (150-600LB)			SW PN16-PN40 (150-600LB)		
	L	W	H≈	L	W	H≈
15	130	Φ140	255	79	Φ140	255
20	150	Φ140	255	92	Φ140	255
25	160	Φ160	261	111	Φ160	261
32	180	Φ160	261	120	Φ160	261
40	200	Φ180	325	152	Φ180	325
50	230	Φ200	348	172	Φ200	348



VMV Newton Systems®

ZHEJIANG NEWTON FLUID CONTROL CO.,LTD.

Headquarters (Wenzhou)

Zhiyi road, Lingxia industrial zone, Wuniu, Wenzhou,
Zhejiang, China.

Tel: 86-577-67978269

Fax: 86-577-67376711

E-mail: vmv@vmv-valve.com

Shanghai R&D Center

Jiading District, Shanghai
Building 12A, No. 1818 Chengbei Road
Tel: 86-18057752663

E-mail: vmv8@vmv-valve.com

CE  ISO  EAC CCS

www.vmvvalve.com



Scan More Wonderful